


206080-25198001



COPY OF PAPERS
ORIGINALLY FILED

1/18



206080* 25198001



COPY OF PAPER
ORIGINALLY FILED

2/18

LAMOTRIGINE FORM C STEP: 0.050° CNT TIME: 1.000 SEC.
RANGE: 2.00 - 40.00 (DEG) CONT. SCAN RATE: 3.00 DEG/MIN.




FIG. 2



COPY OF PAPERS
ORIGINALLY FILED

3/18

206080-25198001

LAMOTRIGINE FORM D





FIG. 3



COPY OF PAPERS
ORIGINALLY FILED

4/18

206080-25198001





COPY OF PAPER
ORIGINALLY FILED

5/18





FIG. 5



COPY OF PAPERS
ORIGINALLY FILED


6/18





COPY OF PAPER
ORIGINALLY FILED

7/18





COPY OF PAPER
ORIGINALLY FILED

8/18

206080-5138001

LAMOTRIGINE FORM J




FIG. 8



COPY OF PAPER
ORIGINALLY FILED

9/18




FIG. 9

O I P E
AUG 09 2002
PATENT & TRADEMARK OFFICE

COPY OF PAPERS
ORIGINALLY FILED

10/18

206080-25198001

LAMOTRIGINE FORM L





FIG. 10



11/18


206080"/5198001





12/18

206080-25198001



206080* / 5198001



13/18




FIG. 13



14/18

206080-25198001

LAMOTRIGINE FORM P




FIG. 14



15/18

206080-25193001




FIG. 15



16/18

206080-75198001




FIG. 16

206080-25198001



17/18




FIG. 17

206080* / 5198001



18/18

LAMOTRIGINE FORM U




FIG. 18